



AF  
2800

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:  
WILLIAM S. BRENNAN

Serial No.: 09/883,883

Filed: 6/18/2001

For: CLOSED LOOP RESIDUAL GAS  
ANALYZER PROCESS CONTROL  
TECHNIQUE

Group Art Unit: 2823

Examiner: WILLIAM D. COLEMAN

Atty. Dkt. No.: 2000.046500/JAP

RECEIVED  
NOV 20 2003  
TECHNOLOGY CENTER 2800

**NOTICE OF APPEAL FROM THE PRIMARY EXAMINER  
TO THE BOARD OF PATENT APPEALS AND INTERFERENCES**

**MAIL STOP AF**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**CERTIFICATE OF MAILING 37 CFR 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on November 13, 2003.

*Yolanda Murillo*  
Yolanda Murillo


Sir:

Applicant hereby appeals to the Board of Patent Appeals and Interferences from the decision of the Primary Examiner mailed August 13, 2003, finally rejecting claims 1-15.

The Assistant Commissioner is authorized to deduct the fee for filing this Notice of Appeal (\$330.00) and any other fees required under 37 C.F.R. §§ 1.16 to 1.21 from the Advanced Micro Devices, Inc. Deposit Account No. 01-0365/TT3698. In the event the monies in that account are insufficient, the Assistant Commissioner is authorized to withdraw funds from Williams, Morgan & Amerson, P.C. Deposit Account No. 50-0786/2000.046500/JAP.

Please date stamp and return the enclosed postcard to evidence receipt of this document.

Respectfully submitted,

  
Jeffrey A. Pyle  
Reg. No. 34,904

WILLIAMS, MORGAN & AMERSON  
CUSTOMER NUMBER: 23720

Attorney for Applicant

10333 Richmond Dr., Suite 1100  
Houston, Texas 77042  
(713) 934-7000

Date: November 13, 2003